IN THE CLAIMS:

Please amend the claims as follows:

1.   (Currently amended) A ~~system~~ printer for printing time-based media from a broadcast media feed, the ~~system~~ printer comprising:

   a broadcast media receiver for receiving and outputting the broadcast media feed of time-based media;

   a content-based processing logic coupled to the broadcast media receiver for monitoring the broadcast media feed of time-based media to detect ~~for~~ an occurrence of an event, the content-based processing logic ~~determining~~ processing the broadcast media feed to generate an electronic representation and a printable representation of the broadcast media feed responsive to detecting the occurrence of the event; ~~and~~

   a first output device in communication with the content-based processing logic to receive the electronic representation, the first output device producing a corresponding electronic output from the electronic representation of the broadcast media feed; and

   a second output device in communication with the content-based processing logic to receive the printable representation, the second output device producing a corresponding printed output from the printable representation of the broadcast media feed.

2.   (Canceled).

3.   (Canceled).

4. (Currently amended) The ~~system~~ <u>printer</u> of claim [[3]] <u>1</u>, wherein the printed output is generated [[on]] <u>in</u> a video paper <u>format</u>.

5. (Currently amended) The ~~system~~ <u>printer</u> of claim [[3]] <u>1</u>, wherein the printed output is generated [[on]] <u>in an</u> audio paper <u>format</u>.

6. (Currently amended) The ~~system~~ <u>printer</u> of claim 1, wherein the electronic representation comprises an email message.

7. (Currently amended) The ~~system~~ <u>printer</u> of claim 1, further comprising the <u>content-based</u> processing logic generating a network message responsive to <u>detecting the occurrence of</u> the event.

8. (Currently amended) The ~~system~~ <u>printer</u> of claim 7, wherein the network message comprises an email message.

9. (Currently amended) The ~~system~~ <u>printer</u> of claim 7, wherein the network message comprises a paging message.

10. (Currently amended) The ~~system~~ <u>printer</u> of claim 1, wherein the <u>content-based</u> processing logic is user-programmable to indicate the event to be monitored.

11. (Currently amended) The ~~system~~ <u>printer</u> of claim 1, wherein the <u>content-based</u> processing logic is user-programmable to indicate a response to be generated.

12.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, ~~further comprising the processing logic extracting~~ <u>wherein the content-based processing logic extracts</u> data from a web page responsive to <u>detecting the occurrence of</u> the event.

13.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, ~~further comprising the processing logic extracting~~ <u>wherein the content-based processing logic extracts</u> data from the media feed responsive to <u>detecting the occurrence of</u> the event.

14.   (Currently amended) The ~~system~~ <u>printer</u> of claim 13, , ~~further comprising the processing logic extracting~~ <u>wherein the content-based processing logic extracts</u> close caption text from the media feed.

15.   (Currently amended) The ~~system~~ <u>printer</u> of claim [[1]] <u>13</u>, , ~~further comprising the processing logicextracting~~ <u>wherein the content-based processing logic extracts</u> key frames from a video feed.

16.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, further comprising the <u>content-based</u> processing logic broadcasting a video feed responsive to <u>detecting the occurrence of</u> the event.

17.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, further comprising the processing logic broadcasting an audio feed on a speaker responsive to <u>detecting the occurrence of</u> the event.

18.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, wherein the media feed comprises live media feed.

19. (Currently amended) The ~~system~~ printer of claim 1, further comprising a media ~~source~~ recorder for ~~providing~~ recording the media feed.

20. (Canceled).

21. (Currently amended) The ~~system~~ printer of claim 1, wherein the event comprises a coded signal embedded in the media feed.

22. (Currently amended) The ~~system~~ printer of claim 21, wherein the coded signal corresponds to an EAS alert.

23. (Currently amended) The ~~system~~ printer of claim 21, wherein the coded signal corresponds to a NWS alert.

24. (Currently amended) The ~~system~~ printer of claim 21, wherein the coded signal corresponds to an EBS alert.

25. (Currently amended) The ~~system~~ printer of claim 21, further comprising a decoder for decoding coded signal.

26. (Currently amended) The ~~system~~ printer of claim 21, wherein the coded signal comprises a digital data embedded in the media feed.

27. (Currently amended) The ~~system~~ printer of claim 21, wherein the coded signal comprises a tone sequence embedded in the media feed.

28. (Currently amended) The ~~system~~ printer of claim 1, wherein the event comprises an appearance of an image in the media feed.

29.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, wherein the media feed comprises an audio stream.

30.   (Currently amended) The ~~system~~ <u>printer</u> of claim 1, wherein the media feed comprises a video stream.

31.   (Currently amended) A method for printing time-based media from a <u>broadcast</u> media feed, the method comprising:

    <u>receiving the broadcast media feed of time-based media;</u>

    monitoring the <u>broadcast</u> media feed <u>of time-based media to detect</u> ~~for~~ an occurrence of an event;

    ~~determining~~ <u>processing the broadcast media feed to generate</u> an electronic representation of the <u>broadcast</u> media feed <u>and a printable representation of the broadcast media feed</u> responsive to <u>detecting the occurrence of</u> the event; and

    generating a corresponding ~~electronic~~ <u>printed</u> output from <u>the printable</u> ~~the electronic~~ representation of the <u>broadcast</u> media feed.

32.   (Canceled)

33.   (Original) The method of claim 31 further comprising generating an email message from the electronic representation of the media feed.

34.   (Currently amended) The method of claim 31 further comprising generating a network message responsive to <u>detecting the occurrence of</u> the event.

35.   (Original) The method of claim 31 further comprising defining the event to be monitored.

36.   (Currently amended) The method of claim 31 further comprising extracting data from a web page responsive to <u>detecting the occurrence of</u> the event.

37.   (Currently amended) The method of claim 31<u>, wherein processing the media feed</u> <u>comprises</u> ~~further comprising~~ extracting close caption text from the media feed.

38.   (Currently amended) The method of claim 31<u>, wherein processing the media feed</u> <u>comprises</u> ~~further comprising~~ extracting key frames from a video feed.

39.   (Currently amended) The method of claim 31 further comprising broadcasting a video feed responsive to <u>detecting the occurrence of</u> the event.

40.   (Currently amended) The method of claim 31 further comprising broadcasting an audio feed responsive to <u>detecting the occurrence of</u> the event.

41.   (Original) The method of claim 31 further comprising further comprising decoding a coded signal in the media feed.

42.   (New) The printer of claim 1, wherein the media receiver comprises a receiving means selected from a group of an antenna, a satellite dish, and a cable line.

43.   (New) The printer of claim 1, wherein the media receiver is adapted to receive media signals at multiple frequencies simultaneously.